

ERRATA APPROVED

interRAI Community Mental Health (CMH) 9.2

These changes have been approved by the interRAI Instrument and Systems Development Committee (ISD)

List released: June 2, 2014

Edition	interRAI Standard Edition	
Version # and	CMH 9.2 December 2010	
Publication Dates		

Yellow highlight indicates SUBSTANTIVE EDITORIAL change or correction that was approved.

Red text indicates words to insert; red text with strikethrough (example) indicates words to delete.

FORM				
Page	Item #	Change Suggested/Requested		
2	B6b	B6b. Time since last psychiatric hospital discharge		
		Coding		
		0. No hospitalization within last 90 days		
4	G5	CHANGE IN DECISION MAKING AS COMPARED TO 90 DAYS AGO (OR SINCE LAST ASSESSMENT IF LESS THAN 90 DAYS AGO)		
4	H1	score 8 8 Activity did no-not occur—During entire period		
6	J10	RECENT FALLS [Skip if last assessment more than 30 days ago or if this is first assessment; only code falls that have occurred since the last assessment.] 0 No 1 Yes [blank] Not applicable (first assessment, or more than 30 days since last assessment)		
6	J12	1 Control-Managed with any catheter or ostomy over last 3 days		



MANUAL				
Page	Item #	Change Suggested/Requested		
	Localized items	Drop this note from items flagged as [Country Specific]		
		NOTE: If not in Canada, please consult your addendum.		
22	B6b	B6b. Time since last psychiatric hospital discharge		
		Coding 0. No hospitalization within last 90 days		
63	G5	Change in Decision Making as Compared to 90 Days Ago (or since Last Assessment if Less Than 90 Days Ago)		
87	J10	If this is a follow-up assessment, with less than 30 days since the last assessment, code for the occurrence of one or more falls since the last assessment. If this is the first assessment, or if more than 30 days have passed since the last assessment, simply leave this item blank. If this is a follow-up assessment, with less than 30 days since the last assessment, only code falls that have occurred since the last assessment.		
		O. No 1. Yes [blank] Not applicable (first assessment, or more than 30 days since last assessment)		
88	J11a	J11a. Frequency of pain Add "Definition" in front of: Measures how often the person experiences		
88	J11b	J11b. Intensity of highest level of pain present Add "Definition" in front of: Measures the level of pain as the person perceives		
88	J11c	J11c. Consistency of pain Add "Definition" in front of: Measures the frequency (ebb and flow) of pain from the person's perspective.		
88	J11d	J11d. Pain control Add "Definition" in front of: The ability of the current therapeutic regimen to control		



90	J12	1. Complete control Managed with any catheter or ostomy over last 3 days— Control Managed with use of any type of catheter or urinary collection device.	
135	R3	Rett 's disorder syndrome Tourette 's disorder syndrome	