

interRAI Home Care (HC) 9.1 Errata: Implemented and Approved

The following changes have been reviewed and approved by the ISD or their assigns. The first table outlines changes to HC Version 9.1 that have been implemented in the current, published Standard edition of the HC (Version 9.1.2); the second table outlines changes that have been approved, but not yet implemented in Version 9.1.2. Page numbers refer to the published manual (Version 9.1.2). Both tables are organized alphabetically by item.

IMPLEMENTED

Manual or Form	Item	Page	For	Read	Implemented Y/N and Version No.	Year
Form	A6	1	[no country-specific text]	[EXAMPLEUSA]	Y/9.1.2	2010
Manual	A6	10	[no country-specific text]	[Country Specific]	Y/9.1.2	2010
Manual	A12	14	3. Assisted living or semi- independent living — Other noninstitutional community residential setting	3. Assisted living or semi- independent living — A second type of noninstitutional setting	Y/9.1.2	2010
Manual		iv	[no country-specific text]	Added new page/standard text re: country-specific examples (replacing blank)	Y/9.1.2	2010
Manual	G1	41	box "Additional Examples of How to Code IADLs" There is no difference between Ms. D's performance and capacity.	box "Additional Examples of How to Code IADLs" There is no difference between Ms. A's performance and capacity.	Y/9.1.2	2010
Manual	G3a	45	Primary mode of locomotion	Primary mode of locomotion indoors	Y/9.1.2	2010
Manual	G3a	45	Intent or assistive devices the person used over the last 3 days.	Intent or assistive devices the person used over the last 3 days indoors.	Y/9.1.2	2010
Manual	G6	48	3 Uncertain	8 Uncertain	Y/9.1.2	2010
Form	G6	4	3 Uncertain	8 Uncertain	Y/9.1.2	2010
Manual	J2	59	Coding follow-up assessment 30 or more days	Coding follow-up assessment 30 or fewer days	Y/9.1.2	2010
Manual	J2	59	Coding or if less than 30 days have passed	Coding or if more than 30 days have passed	Y/9.1.2	2010
Manual	J6a	64	Definiton Including grimacing, teeth clenching, moaning, withdrawal when touched, or other nonverbal signs suggesting pain.	Definition Measures how often the person experiences pain (reports or shows evidence of pain); includes grimacing, teeth clenching, moaning, withdrawal when touched, and other nonverbal signs suggesting pain.	Y/9.1.2	2010

Manual or Form	Item	Page	For	Read	Implemented Y/N and Version No.	Year
Manual	J6a	64		[header text] Frequency with which person complains or shows evidence of pain	Y/9.1.2	2010
Manual	J6b	64		Definition Measures the level of pain reported by or observed in the person.	Y/9.1.2	2010
Manual	J6b	64		[header text] Intensity of highest level of pain present	Y/9.1.2	2010
Manual	J6c	64		Definition Measures the frequency (ebb and flow) of pain from the person's perspective.	Y/9.1.2	2010
Manual	J6c	64		[header text[Consistency of Pain	Y/9.1.2	2010
Manual	J6d	65		Definition The person experienced a sudden, acute flare-up of pain one or more times in the last 3 days. Breakthrough pain might appear as a dramatic increase in the level of pain above that addressed by ongoing analgesics, or the recurrence of pain associated with end-of-dose failure.	Y/9.1.2	2010
Manual	J6d	65		[header text] Breakthrough pain	Y/9.1.2	2010
Manual	J6e	65		Definition The ability of the current therapeutic regimen to control the person's pain adequately (from the person's point of view). This item describes the adequacy or inadequacy of pain control measures (such as medications, massage, TENS, or other therapeutic regimen) instituted by the person, caregiver, or clinical staff caring for the person.	Y/9.1.2	2010
Manual	J6e	65		[header text] Pain control	Y/9.1.2	2010
Form	K1b	6	[2 scoring boxes] Weight [] []	[3 scoring boxes] Weight [] [] []	Y/9.1.2	2010
Form	P1	8		[Deleted extra pair of Helper scoring boxes after P1b]	Y/9.1.2	2010
Form	Р3	8	[1 scoring box]	[3 scoring boxes] [][][]	Y/9.1.2	2010

The following changes have been approved by the ISD, but have not yet been implemented in the published, standard edition of the HC (Version 9.1.2). The "Year" column refers to when the ISD reviewed and approved each change. Page numbers refer to the published manual (Version 9.1.2).

APPROVED (NOT IMPLEMENTED)

Manual or Form	Item	Page	For	Read	Implemented Y/N	Year
Manual	A12	14	It targets pain and symptom relief, without precluding use of life-prolonging treatments.	It targets pain and symptom relief, without precluding use of life-prolonging treatments and provides support systems for the person and his or her family.	N	2014
Form	A12	1	Acute care hospital	Acute care hospital/unit	N	2014
Form	A12	1	Psychiatric hospital or unit	Psychiatric hospital/unit	N	2014
Manual	A12	14	10. Rehabilitation hospital/unit — A licensed rehabilitation hospital that focuses on the physical and occupational rehabilitation of individuals who have experienced disease or injury with subsequent decline in physical function. A rehabilitation unit is located within an acute care hospital and focuses on the acute rehabilitation of individuals who have experienced disease or injury with a subsequent decline in physical function	10. Rehabilitation hospital/unit — A licensed hospital that focuses on the physical and occupational rehabilitation of persons who have experienced disease or injury with subsequent decline in physical function. A rehabilitation unit is located within a hospital that provides multiple types of care and focuses on the rehabilitation of persons who have experienced disease or injury with subsequent decline in physical function	N	2014
Manual	A12	14	7. Psychiatric hospital or unit — A hospital that focuses on the diagnosis and treatment of psychiatric disorders and which is separate from other inpatient facilities, such as an acute care, rehabilitation, or chronic care hospital. A psychiatric unit is a care unit, located in a general hospital, which is dedicated to the diagnosis and treatment of psychiatric disorders.	7. Psychiatric hospital/unit — A hospital that focuses on the diagnosis and treatment of psychiatric disorders and which is separate from other inpatient facilities, such as an acute care, rehabilitation, or continuing care hospital. A psychiatric unit is a care unit, located in a general hospital, which is dedicated to the diagnosis and treatment of psychiatric disorders.	N	2014
Manual	B4b	18	supportive services of the following types: supervision, meal service, transportation, etc.	supportive services of the following types: supervision, meal service, transportation, home health, homemaker, personal care, etc.	N	2014

Manual or Form	Item	Page	For	Read	Implemented Y/N	Year
Manual	B4c	18	For example, a psychiatric group home. A residential setting for adults with mental health problems who need	A residence, such as a psychiatric group home, where specialized care is provided to adults with mental health problems who need	N	2014
Manual	B4d	18	Psychiatric hospital or unit	Psychiatric hospital/unit	N	2014
Manual	B4d	18	other inpatient facilities, such as an acute, rehabilitation or chronic hospital	other inpatient facilities, such as an acute, rehabilitation or continuing hospital	N	2014
Form	B4d	1	Psychiatric hospital or unit	Psychiatric hospital/unit	N	2014
Manual	C2	21	Box - Example of a Structured Approach [box currently placed after item C2b]	Box - Example of a Structured Approach [Move box up, so it's underneath Item C2a]	N	2014
Form	C5	2	CHANGE IN DECISION MAKING AS COMPARED TO 90 DAYS AGO (OR SINCE LAST ASSESSMENT)	CHANGE IN DECISION MAKING AS COMPARED TO 90 DAYS AGO (OR SINCE LAST ASSESSMENT IF LESS THAN 90 DAYS AGO)	N	2014
Manual	F1c	35	For example, telephone or e-mail.	e.g., telephone, e-mail, video conferencing, chat-room.	N	2018
Manual	G2	44	Remind these persons that the focus is on the last 3 days only	Remind them that the focus is on the last 3 days only	N	2014
Manual	G3d	46	Definition - Distance wheeled self him- or herself at one time in the last 3 days (includes independent use of motorized wheelchair).	Definition - Distance wheeled self him- or herself at one time in the last 3 days.	N	2014
Manual	H1	51	Complete control with any catheter or ostomy Control with any type of catheter or urinary collection device.	1. Managed with any catheter or ostomy over last 3 days Managed with any type of catheter or urinary colletion device.	N	2014, 2018
Manual	I1e	55	There must be a diagnosis of hemiplegia in the person's record to code this item	[delete entire sentence]	N	2014
Manual	I1u	56	Diabetes mellitus Any of the several metabolic disorders marked by persistent thirst and excessive discharge of urine.	Diabetes mellitus Any of the several metabolic disorders marked by persistent thirst and excessive discharge of urine. Includes insulin-dependent diabetes mellitus (IDDM) and dietcontrolled diabetes mellitus (NIDDM or AODM).	N	2014
Form	J6d	5	Breakthrough pain Times in LAST 3 DAYS when person experienced sudden, acute flare-ups of pain	Breakthrough pain Person experienced sudden, acute flare-ups of pain in LAST 3 DAYS	N	2014
Manual	M1d	80	Box - Route of Administration Mylanta 15 cc after meals, by mouth	Box - Route of Administration Mylanta 15 mL after meals, by mouth	N	2018

Manual or Form	Item	Page	For	Read	Implemented Y/N	Year
Manual	M1d	80	Box - Route of Administration [first row of table, column C] cc	Box - Route of Administration [first row of table, column C] mL	N	2018
Manual	M1f	81	Box - How to Code Frequency and PRN [Humulin R rows, column E] Q3D	Box - How to Code Frequency and PRN [Humulin R rows, column E] OTH	N	2018
Manual	M1f	81	Box - How to Code Frequency and PRN [Peri-Colace row, columns B and C don't match dose and unit in bullet above table]	Box - How to Code Frequency and PRN [Peri-Colace row, columns B and C don't match dose and unit in bullet above table] 0.25ml	N	2018
Manual	M1	86	Box - Coding for Exercise [Novolin R row, column E] Q2D	Box - Coding for Exercise [Novolin R row, column E] OTH	N	2018
Manual	M1	86	Box - Coding for Exercise [Benylin cough syrup row, column E] TID	Box - Coding for Exercise [Benylin cough syrup row, column E] Q4H	N	2018
Manual	M1f	81	Box - How to Code Frequency and PRN [Humulin R rows, column E] Q3D	Box - How to Code Frequency and PRN [Humulin R rows, column E] OTH	N	2018
Manual	M1f	81	Box - How to Code Frequency and PRN [Peri-Colace row, columns B and C don't match dose and unit in bullet above table]	Box - How to Code Frequency and PRN [Peri-Colace row, columns B and C don't match dose and unit in bullet above table] 0.25ml	N	2018
Form	N2m	7	Palliative care program	Hospice/Palliative care program	N	2014
Manual	N2m	90	Palliative care program	Hospice/Palliative care program	N	2014
Form	R1	8	IF LESS THAN 90 DAYS)	IF LESS THAN 90 DAYS AGO)	N	2014
Form	R2	8	IF LESS THAN 90 DAYS)	IF LESS THAN 90 DAYS AGO)	N	2014
Form	S2	8	Acute care hospital	Acute care hospital/unit	N	2014
Form	S2	8	Psychiatric hospital or unit	Psychiatric hospital/unit	N	2014
Manual	S2	106	10. Rehabilitation hospital/unit — A licensed rehabilitation hospital that focuses on the physical and occupational rehabilitation of individuals who have experienced disease or injury with subsequent decline in physical function. A rehabilitation unit is located within an acute care hospital and focuses on the acute rehabilitation of individuals who have experienced disease or injury with a subsequent decline in physical function	10. Rehabilitation hospital/unit — A licensed hospital that focuses on the physical and occupational rehabilitation of persons who have experienced disease or injury with subsequent decline in physical function. A rehabilitation unit is located within a hospital that provides multiple types of care and focuses on the rehabilitation of persons who have experienced disease or injury with subsequent decline in physical function	N	2014

Manual or Form	Item	Page	For	Read	Implemented Y/N	Year
Manual	S2	105	7. Psychiatric hospital or unit — A hospital that focuses on the diagnosis and treatment of psychiatric disorders and which is separate from other inpatient facilities, such as an acute care, rehabilitation, or chronic care hospital. A psychiatric unit is a care unit, located in a general hospital, which is dedicated to the diagnosis and treatment of psychiatric disorders.	7. Psychiatric hospital/unit — A hospital that focuses on the diagnosis and treatment of psychiatric disorders and which is separate from other inpatient facilities, such as an acute care, rehabilitation, or continuing care hospital. A psychiatric unit is a care unit, located in a general hospital, which is dedicated to the diagnosis and treatment of psychiatric disorders.	N	2014