

ERRATA APPROVED

interRAI Palliative Care (PC) 9.1

These changes have been approved by the interRAI Instrument and Systems Development Committee (ISD)

List released: June 10, 2014

Edition	interRAI Standard Edition
Version # and	PC 9.1 April 2010
Publication Dates	PC 9.1.1 October 2010
	PC 9.1.2 October 2011

Yellow highlight indicates SUBSTANTIVE EDITORIAL change or correction that was approved.

Red text indicates words to insert; red text with strikethrough (example) indicates words to delete.

FORM			
Page	Item #	Change Suggested/Requested	
2	C1d	d. Breakthrough pain— <mark>Times in LAST 3 DAYS</mark> when person experienced sudden, acute flare-ups of pain Person experienced sudden, acute flare-ups of pain in LAST 3 DAYS 0 No 1 Yes	
2	C5	RECENT FALLS [Skip if last assessment more than 30 days ago or if this is first assessment; only code falls that have occurred since the last assessment.] 0 No 1 Yes [blank] Not applicable (first assessment, or more than 30 days since last assessment)	
3	F6	CHANGE IN DECISION MAKING AS COMPARED TO 90 DAYS AGO (OR SINCE LAST ASSESSMENT <mark>IF LESS THAN 90 DAYS AGO</mark>)	
5	К1	1 Complete control Managed with any catheter or ostomy over last 3 days	



MANUAL **Change Suggested/Requested** Page Item # Drop this note from items flagged as [Country Specific] Local ized NOTE: If not in Canada, please consult your addendum. items 34 C5 If this is the first assessment, or if more than 30 days have passed since the last assessment, simply leave this item blank. If this is a follow-up assessment, with less than 30 days since the last assessment, code for the occurrence of one or more falls since the last assessment. only code falls that have occurred since the last assessment. 0. No 1. Yes [blank] Not applicable (first assessment, or more than 30 days since last assessment) 51 F6 Change in Decision Making as Compared to 90 Days Ago (or since Last Assessment if Less Than 90 Days Ago 77 К1 1. Complete control-Managed with any catheter or ostomy over last 3 days — Control Managed with use of any type of catheter or urinary collection device over last 3 days.